

Diaprepes Root Weevil Host List¹

Joseph L. Knapp, Sam E. Simpson, Jorge E. Peña, and Herbert N. Nigg²

Please see Table 1 (begins on the following page in the PDF).

-
1. This document is ENY-641, one of a series of the Entomology and Nematology Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. First Printed May 2000. Reviewed: December 2005. Please visit the EDIS Web site at <http://edis.ifas.ufl.edu>
 2. J. L. Knapp, professor, Citrus Research and Education Center, Lake Alfred, FL; J. E. Peña, professor, Tropical Research and Education Center, Homestead, FL; H. N. Nigg, professor, Citrus Research and Education Center, Lake Alfred, FL; Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville, 32611. S. E. Simpson, Florida Department of Agriculture and Consumer Services, Division of Plant Industry, Winter Haven, FL.

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information and other services only to individuals and institutions that function with non-discrimination with respect to race, creed, color, religion, age, disability, sex, sexual orientation, marital status, national origin, political opinions or affiliations. U.S. Department of Agriculture, Cooperative Extension Service, University of Florida, IFAS, Florida A. & M. University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Larry Arrington, Dean

Table 1. Diaprepes Root Weevil Host List

Common Name	Scientific Name
Acacia	<i>Acacia</i> sp.
Adonidia palm	<i>Veitchia merrillii</i> (Becc.) H.E. Moore
Alemow	<i>Citrus aurantiifolia</i>
Aloe	<i>Aloe vera</i> (L.) Burm. f.
Amor plat	<i>Albizia lebbek</i> (L.) Benth.
Anise	<i>Illicium anisatum</i> L.
Areca palm	<i>Chrysalidocarpus lutescens</i> H. Wendl.
Atalantia	<i>Atalantia</i> sp.
Australian finger lime	<i>Microcitrus australasica</i> (F.J. Muel.) Swingle
Australian round lime	<i>Microcitrus australis</i> (Planch.) Swingle
Avocado, aguacate	<i>Persea americana</i> Mill.
Avocado, aguacate	<i>Persea americana</i> Mill. variety americana
Bael	<i>Aegle marmelos</i> (L.) Corr. Serr.
Banana	<i>Musa</i> sp.
Bastard cedar	<i>Guazuma ulmifolia</i> Lam.
Bay-rum tree	<i>Pimenta racemosa</i> (Miller) J.W. Moore
Bean	<i>Phaseolus</i> sp.
Beggarweed	<i>Desmodium tortuosum</i> (Sw.) DC.
Belgian evergreen	<i>Dracaena sanderiana</i> Hort. Sander ex M.T. Mast
Bengal bean	<i>Mucuna deeringiana</i> (Bort.) Merr.
Bergamot	<i>Citrus bergamia</i> Risso & Poit. 'Bergamont'
Bishop's wood	<i>Bischofia javanica</i> Blume
Black Jessie	<i>Pithcellobium unguis-cati</i> (L.) Benth.
Black sapote	<i>Diospyros digyna</i> Jacq
Black-olive	<i>Bucida buceras</i> L.
Blackberry	<i>Rubus argutus</i> Link
Bloodwood tree	<i>Haematoxylum campechianum</i> L.
Bonavist bean	<i>Lablab purpureus</i> (L.) Sweet
Botoncillo	<i>Conocarpus erectus</i> L.
Brazilian pepper tree	<i>Schinus terebinthifolius</i> Raddi
Bread and cheese	<i>Pithcellobium unguis-cati</i> (L.) Benth.
Bucare	<i>Erythrina berteroaana</i> Urban
Bucare	<i>Erythrina poeppigiana</i> (Walp.) O. F. Cook
Buddha's hand	<i>Citrus medica</i> L. var. <i>Sarcodactylis</i> (Noot.) Swingle
Burford holly	<i>Ilex cornuta</i> Lindl. & Paxt. 'Burfordii'
Butterfly palm	<i>Chrysalidocarpus lutescens</i> H. Wendl.
Butterfly-pea	<i>Centrosema pubesens</i> Benth.

Table 1. Diaprepes Root Weevil Host List

Common Name	Scientific Name
Buttonwood	<i>Conocarpus erectus</i> L.
Cacao	<i>Theobroma cacao</i> L.
Caesalpinia	<i>Caesalpinia mexicana</i> A. Gray
Caesar weed	<i>Urena lobata</i> L.
Caffre lime	<i>Citrus hystrix</i> DC.
Caimito	<i>Chrysophyllum cainito</i> L.
Calamondin	<i>X Citrofortunella microcarpa</i> (Bunge) Wijnands
Calophyllum	<i>Calophyllum</i> sp.
Caltrop	<i>Kallstroemia maxima</i> (L.) Hook & Arn.
Caoba de Honduras	<i>Swietenia macrophylla</i> King
Caprieto	<i>Cordia alliodora</i> (Ruiz & Pav.) Oken
Carolina cherry-laurel	<i>Prunus caroliniana</i> (Mill.) Ait.
Carrizo citrange	<i>X Citroncirus webberi</i> J. Ingram & H.E. Moore 'Troyer' (<i>Citrus sinensis</i> X <i>Poncirus trifoliata</i>)
Carrotwood	<i>Cupaniopsis anacardioides</i> (A.Rich.) Radlk.
Cassia	<i>Cassia</i> sp.
Castor-bean	<i>Ricinus communis</i> L.
Catclaw	<i>Pithecellobium unguis-cati</i> (L.) Benth.
Cattley guava	<i>Psidium littorale</i> Raddi
Cedro espanol	<i>Cedrela odorata</i> L.
Ceiba	<i>Ceiba pentandra</i> (L.) Gaertn.
Celery	<i>Apium graveolens</i> L.
Cephalic vine	<i>Argyreia nervosa</i> (Burm. f.) Bojer
Chevalier's aeglopsis	<i>Aeglopsis chevalieri</i> Swingle
Chinaberry tree	<i>Melia azedarach</i> L.
Chinese box orange	<i>Severinia buxifolia</i> (Poiret) Ten.
Chinese elm	<i>Ulmus parvifolia</i> Jacq.
Chinese hibiscus	<i>Hibiscus rosa-sinensis</i> L.
Chinese holly	<i>Ilex cornuta</i> Lindl. & Paxt.
Chinese pittosporum	<i>Pittosporum tobira</i> (Thunb.) Ait. f.
Christmas berry	<i>Ardisia crispa</i> (Thunb.) A. DC.
Christmas palm	<i>Veitchia merrillii</i> (Becc.) H.E. Moore
Cigar-box cedar	<i>Cedrela odorata</i> L.

Table 1. Diaprepes Root Weevil Host List

Common Name	Scientific Name
Citrangequat hybrid	<i>X Citroncirus</i>
Citron acid	<i>Citrus medica</i> L. 'Acida'
Citrus	<i>Citrus</i> sp.
Citrus of Moi lime	<i>Citrus aurantiifolia</i> (Christm.) Swingle
Cleopatra mandarin	<i>Citrus reticulata</i> Blanco 'Cleopatra'
Cocoa	<i>Theobroma cacao</i> L.
Cocoplum	<i>Chrysobalanus icaco</i> L.
Coffee	<i>Andira inermis</i> (W. Wright) Kunth ex DC.
Coffee	<i>Coffea arabica</i> L.
Coffeeweed	<i>Senna obtusifolia</i> (L.) Irwin & Barneby
Common guava	<i>Psidium guajava</i> L.
Congo jute	<i>Urena lobata</i> L.
Coral ardisia	<i>Ardisia crenata</i> Sims
Coralberry	<i>Ardisia crenata</i> Sims
Coralillo	<i>Erythrina berteriana</i> Urban
Corcho prieto	<i>Guapira fragrans</i> (Dum.-Cours.) Little
Cordia	<i>Cordia lineata</i> (L.) Roem. & Schult.
Corn	<i>Zea mays</i> L.
Corn plant	<i>Dracaena fragrans</i> (L.) Ker-Gawl. 'Massangeana'
Cotton	<i>Gossypium</i> spp.
Crape-myrtle	<i>Lagerstroemia indica</i> L.
Cuajinicuil	<i>Inga spuria</i> Humb. & Bonpl. ex Willd.
Cuban laurel	<i>Ficus retusa</i> L.
Curry leaf	<i>Murraya koenigii</i> (L.) Sprengel
Dahoon holly	<i>Ilex cassine</i> L.
Date palm	<i>Phoenix dactylifera</i> L.
Day cestrum	<i>Cestrum diurnum</i> L.
Day jasmine	<i>Cestrum diurnum</i> L.
Day-lily	<i>Heimerocallis</i> sp.
Dracaena	<i>Dracaena compacta</i> Schott, Nyman & Kotschy
Dracaena rainbow	<i>Dracaena cincta</i> Bak. 'Tricolor'
Dragon tree	<i>Dracaena marginata</i> Lam.

Table 1. Diaprepes Root Weevil Host List

Common Name	Scientific Name
Dwarf schefflera	<i>Schefflera arboricola</i> (Hay.) Kanehira
Eastern red-cedar	<i>Juniperus virginiana</i> L.
Eggplant	<i>Solanum melongena</i> L.
Elephant climber	<i>Argyreia nervosa</i> (Burm. f.) Bojer
Eremocitrus X Skekwasha mandarin	<i>Eremocitrus hybrid</i>
Espino rubial	<i>Zanthoxylum caribaeum</i> Lam.
Etrog citron	<i>Citrus medica</i> L. 'Etrog'
False aralia	<i>Schefflera elegantissima</i> (Vietch) Lowry & Frodin
Florida velvet bean	<i>Mucuna deeringiana</i> (Bort.) Merr.
'Flying Dragon' x 'Nakorn'	<i>Poncirus trifoliata</i> (L.) Raf. 'Flying Dragon' X <i>Citrus grandis</i> 'Nakorn'
Gabon powder flask	<i>Afraegle gabonensis</i> (Swingle) Engl.
Galarb	<i>Acnistus arborescens</i> Schlecht.
Gallberry	<i>Ilex glabra</i> (L.) A. Gray
Gallito	<i>Erythrina folkersii</i> Krukoff & Moldenke
Geiger tree	<i>Cordia sebestena</i> L.
Genip	<i>Melicoccus bijugatus</i> Jacq.
Genogeno	<i>Lonchocarpus domingensis</i> (Turp.) DC.
Giant Key lime	<i>Citrus aurantiifolia</i> (Christm.) Swingle
Gillet's cherry orange	<i>Citropsis gilletiana</i> Swingle & M. Kellerman
Golden rain tree	<i>Koelreuteria elegans</i> (Seem.) A. C. Small
Gondul	<i>Cajanus cajan</i> (L.) Huth
Gongoli	<i>Ilex ? syderoxyloides</i> (Sw.) Griseb.
Grapefruit	<i>Citrus x paradisi</i>
Green buttonwood	<i>Conocarpus erectus</i> L.
Ground nut	<i>Arachis hypogaea</i> L.
Groundsel bush	<i>Baccharis halimifolia</i> L.
Guaba	<i>Inga spuria</i> Humb. & Bonpl. ex Willd.
Gu	<i>Guazuma ulmifolia</i> Lam.
Guam	<i>Inga laurina</i> (Sw.) Willd.
Guaraguao	<i>Guarea trichilioides</i> L.
Guava	<i>Psidium</i> sp.
Guayaba	<i>Psidium guajava</i> L.

Table 1. Diaprepes Root Weevil Host List

Common Name	Scientific Name
Guayacan	<i>Guaiacum officinale</i> L.
Guinea corn	<i>Sorghum bicolor</i> (L.) Moench ssp. <i>bicolor</i> cultivars
Guineagrass	<i>Panicum maximum</i> Jacq.
Gumbo limbo	<i>Bursera simaruba</i> (L.) Sarg.
Haba lima	<i>Phaseolus lunatus</i> L.
Habichuela cimarrona	<i>Vigna adenantha</i> (G.F.W. Meyer) Marechal, Mascherpa & Stanier
Hackberry	<i>Celtis laevigata</i> Willd.
Hairy indigo	<i>Indigofera hirsuta</i> L.
Hamlin sweet orange	<i>Citrus sinensis</i> 'Hamlin'
Hediondo, lancepod	<i>Lonchocarpus latifolius</i> (Willd.) DC.
Hercules'-club	<i>Zanthoxylum clava-herculis</i> L.
Hesperethusa	<i>Naringi crenulata</i> (Roxb.) Nicholson
Hetz blue juniper	<i>Juniperus x media</i> Van Melle 'Hetzii'
Hetz juniper	<i>Juniperus x media</i> Van Melle 'Hetzii'
Hibiscus	<i>Hibiscus rosa-sinensis</i> L.
Hog plum	<i>Spondias purpurea</i> L.
Hog plum	<i>Ximenia americana</i> L.
Holly	<i>Ilex</i> sp.
Honduras mahogany	<i>Swietenia macrophylla</i> King
Humboldt's willow	<i>Salix humboldtiana</i> L.
Hyacinth bean	<i>Lablab purpureus</i> (L.) Sweet
Hybrid holly	<i>Ilex x attenuata</i> Ashe 'East Palatka'
Hybrid orange	<i>Citrus sinensis</i> hybrid 'Ambersweet' [(<i>C. reticulata</i> 'Clementine' X <i>Citrus x tangelo</i> 'Orlando') X <i>Citrus sinensis</i>]
Icaco	<i>Chrysobalanus icaco</i> L.
Ichang papeda	<i>Citrus ichangensis</i> (Swing.)
Indian corn	<i>Zea mays</i> L.
Indian date	<i>Tamarindus indica</i> L.
Indian laurel fig	<i>Ficus retusa</i> L.
Italian cypress	<i>Cupressus sempervirens</i> L.
Jack bean	<i>Canavalia gladiata</i> (Jacq.) DC.
Jag	<i>Ficus citrifolia</i> P. Miller
Jag	<i>Ficus stahlii</i> Warb.

Table 1. Diaprepes Root Weevil Host List

Common Name	Scientific Name
Janet Craig dracaena	<i>Dracaena deremensis</i> Engl. 'Janet Craig'
Jobo	<i>Spondias mombin</i> L.
Kapok	<i>Ceiba pentandra</i> (L.) Gaertn.
Kidney bean	<i>Phaseolus vulgaris</i> L.
Kinkoji	<i>Citrus obovoidea</i> Hort. ex Takahashi
Kinokuni mandarin	<i>Citrus tachibana</i> (Mak.) Tan
Kudzu vine	<i>Pueraria Montana</i> (Lour.) Merr. variety <i>lobata</i> (Willd.) Maesen & S. Almeida
Kumquat	<i>Fortunella</i> sp.
Lancepod	<i>Lonchocarpus domingensis</i> (Turp.) DC.
Laurel negro	<i>Cordia alliodora</i> (Ruiz & Pav.) Oken
Lemon	<i>Citrus limon</i> (L.) Burm. f. 'Baboon'
Lemon	<i>Citrus limon</i> (L.) Burm. f. 'Bearss'
Lemon	<i>Citrus limon</i> (L.) Burm. f. 'Cameron Highlands'
Lemon	<i>Citrus limon</i> (L.) Burm. f. 'Ponderosa'
Lemon	<i>Citrus x limonia</i> Osbeck 'Volkamer'
Lemon bottlebrush	<i>Callistemon citrinus</i> (Curtis) Stapf
Lignum-vitae	<i>Guaiacum officinale</i> L.
Lilyturf	<i>Liriope</i> sp.
Lima bean	<i>Phaseolus lunatus</i> L.
Lime	<i>Citrus aurantiifolia</i> (Christm.) Swingle
Lime	<i>Citrus aurantiifolia</i> (Christm.) Swingle 'Davao'
Lime, Australian desert	<i>Eremocitrus glauca</i> (Lindl.) Swing.
Live oak	<i>Quercus virginiana</i> Mill.
Longan	<i>Dimocarpus longan</i> Lour.
Loquat	<i>Eriobotrya japonica</i> (Thunb.) Lindl.
Machete	<i>Erythrina berteroaana</i> Urban
Madre de cacao	<i>Gliricidia sepium</i> (Jacq.) Kunth ex Walp.
Maga	<i>Montezuma speciosissima</i> Mocino & Sessex DC.
Mahogany	<i>Swietenia mahagoni</i> Jacq.
Maize	<i>Zea mays</i> L.
Mandarin, tangerine	<i>Citrus reticulata</i> 'Robinson'
Mandarin, tangerine	<i>Citrus reticulata</i> 'Sunburst'

Table 1. Diaprepes Root Weevil Host List

Common Name	Scientific Name
Mango	<i>Mangifera indica</i> L.
Mangrove	<i>Rhizophora mangle</i> L.
Maricao	<i>Byrsonima spicata</i> (Cav.) Kunth
Maricao	<i>Byrsonima crassifolia</i> (L.) HBK
Marsh grapefruit	<i>Citrus x paradisi</i> `Marsh'
Maypop	<i>Passiflora incarnata</i> L.
McCarty grapefruit	<i>Citrus x paradisi</i> Madfad. `McCarty'
Meiwa kumquat	<i>Fortunella crassifolia</i> Swingle
Melanesian papeda	<i>Citrus macroptera</i> Montr.
Meyer lemon	<i>Citrus meyeri</i> Tan.
Milam lemon	<i>Citrus jambhiri</i> Lushington hybrid
Mimusops	<i>Manilkara roxburghiana</i> (Wight) Dubard
Moca	<i>Andira inermis</i> (W. Wright) Kunth ex DC.
Mountain immortelle	<i>Erythrina poeppigiana</i> (Walp.) O. F. Cook
Murcott mandarin	<i>Citrus reticulata</i> hybrid Blanco `Murcott'
Mustard	<i>Brassica</i> sp.
Myrtle lime	<i>Triphasia trifolia</i> (Burm. f.) P. Wilson
Nasnaran mandarin	<i>Citrus amblycarpa</i> Ochse
Navel orange	<i>Citrus sinensis</i> cultivar
Navy bean	<i>Phaseolus vulgaris</i> L.
Neem tree	<i>Azadirachta indica</i> A. Juss.
New Guinea lime	<i>Microcitrus papuana</i> H. F. Winters
Nicaraguan cocoa-shade	<i>Gliricidia sepium</i> (Jacq.) Kunth ex Walp.
Nigerian powder flask	<i>Afraegle paniculata</i> (Schurn.) Engl.
Nut grass	<i>Cyperus</i> sp.
Octoea	<i>Octoea portoricensis</i> Mez
Okra	<i>Abelmoschus esculentus</i> (L.) Moench
Orange	<i>Citrus sinensis</i> (L.) Osbeck
Orange jasmine	<i>Murraya paniculata</i> (L.) Jack
Orchid tree	<i>Bauhinia variegata</i> L.
Orchid tree	<i>Bauhinia purpurea</i> L.
Orchid tree	<i>Bauhinia</i> sp.

Table 1. Diaprepes Root Weevil Host List

Common Name	Scientific Name
Oriental arborvitae	<i>Platycladus orientalis</i> (L.) Franco
Orlando tangelo	<i>Citrus reticulata</i> X <i>Citrus x paradisi</i>
Oval kumquat	<i>Fortunella margarita</i> (Lour.) Swingle 'Nagami'
Oval kumquat	<i>Fortunella margarita</i> (Lour.) Swingle 'Centennial'
Oxhorn bucida	<i>Bucida buceras</i> L.
Palal	<i>Inga laurina</i> (Sw.) Willd.
Palma-christi	<i>Ricinus communis</i> L.
Pamburas	<i>Pamburus missionis</i> (Wight) Swingle
Parson Brown sweet orange	<i>Citrus sinensis</i> 'Parson Brown'
Passionfruit	<i>Passiflora</i> sp.
Paternillo	<i>Inga laurina</i> (Sw.) Willd.
Pea tree	<i>Gliricidia sepium</i> (Jacq.) Kunth ex Walp.
Peach	<i>Prunus persica</i> (L.) Batsch
Peanut	<i>Arachis hypogaea</i> L.
Pear	<i>Pyrus communis</i> L.
Pecan	<i>Carya illinoensis</i> (Wagemh.) K. Koch
Pepper	<i>Capsicum annuum</i> L.
Pepper (black)	<i>Piper</i> sp.
Persian lime	<i>Citrus aurantiifolia</i> (Christm.) Swingle
Pfizer juniper	<i>Juniperus x media</i> Van Melle 'Pfizeriana'
Philippine box orange	<i>Severinia disticha</i> (Blanco) Swingle
Physic nut	<i>Jatropha curcas</i> L.
Pigeon pea	<i>Cajanus cajan</i> (L.) Huth
Pignut hickory	<i>Carya glabra</i> (Mill.) Sweet
Pineapple guava	<i>Feijoa sellowiana</i> O. Berg
Pithcellobium	<i>Pithcellobium</i> sp.
Pitted bluestem	<i>Bothriochloa pertusa</i> (L.) A. Camus
Pongam	<i>Pongamia Pinnata</i> (L.) Pierre
Potato	<i>Solanum tuberosum</i> L.
Prayer plant	<i>Maranta leuconeura</i> E. Morr.
Prickly ash	<i>Zanthoxylum clava-herculis</i> L.
Prickly ash	<i>Zanthoxylum fagara</i> (L.) Sarg

Table 1. Diaprepes Root Weevil Host List

Common Name	Scientific Name
Prickly yellow scorpion tree	<i>Zanthoxylum caribaeum</i> Lam.
Pummelo	<i>Citrus grandis</i> L. Osbeck
Pummelo	<i>Citrus maxima</i> (Burm.) Merr.
Pummelo x trifoliolate orange (4N)	<i>Citrus grandis</i> L. X <i>Poncirus trifoliata</i> L.
Pummelo x trifoliolate orange (2N)	<i>Citrus grandis</i> L. X <i>Poncirus trifoliata</i> (L.) Raf.
Pygmy date palm	<i>Phoenix roebelenii</i> O'Brien
Queen's crape-myrtle	<i>Lagerstroemia speciosa</i> (L.) Pers.
Quenepa	<i>Melicoccus bijugatus</i> Jacq.
Ragweed	<i>Ambrosia artemisiifolia</i> L.
Rangpur lime	<i>Citrus x limonia</i> Osbeck
Rattlebox	<i>Crotalaria</i> sp.
Red grapefruit	<i>Citrus x paradisi</i> Macfad. cultivar
Red mangrove	<i>Rhizophora mangle</i> L.
Red maple	<i>Acer rubrum</i> L.
Red-cedar	<i>Juniperus virginiana</i> L.
Ribbon plant	<i>Dracaena sanderiana</i> Hort. Sander ex M.T. Mast
Rose	<i>Rosa</i> spp.
Rose apple	<i>Syzygium jambos</i> (L.) Alston
Rough lemon	<i>Citrus jambhiri</i> 'Rough Lemon'
Round kumquat	<i>Fortunella japonica</i> (Thunb.) Swingle 'Marumi'
Royal palm	<i>Roystonea regia</i> (Kunth) Cook
Royal poinciana	<i>Delonix regia</i> (Bojer) Raf.
Salt bush	<i>Baccharis halimifolia</i> L.
Sapodilla	<i>Manilkara zapota</i> (L.) Van Royen
Satin leaf	<i>Chrysophyllum oliviforme</i> L.
Satsuma	<i>Citrus reticulata</i> 'Silver Hill'
Schefflera	<i>Schefflera actinophylla</i> (Endl.) Harms
Sea amyris	<i>Amyris balsamifera</i> L.
Sea grape	<i>Coccoloba uvifera</i> (L.) L.
Senna	<i>Senna surattensis</i> Burm. f.
Shade	<i>Andira inermis</i> (W. Wright) Kunth ex DC.
Shekwasha mandarin	<i>Citrus depressa</i> Hay

Table 1. Diaprepes Root Weevil Host List

Common Name	Scientific Name
Shore juniper	<i>Juniperus conferta</i> Parl.
Short-leaved fig	<i>Ficus citrifolia</i> P. Miller
Sicklepod	<i>Senna obtusifolia</i> (L.) Irwin & Barneby
Silver buttonwood	<i>Conocarpus erectus</i> L. variety <i>sericeus</i> Fors. ex DC.
Silver trumpet tree	<i>Tabebuia aurea</i> (Manso) Benth. & Hook. f. ex S. Moore
Simpson's stopper	<i>Myrcianthes simpsonii</i> (Small) K. A. Wils.
Sorghum	<i>Sorghum bicolor</i> (L.) Moench ssp. <i>bicolor</i>
Sour orange	<i>Citrus aurantium</i> L. 'Bouquet'
Sour orange	<i>Citrus aurantium</i> L. 'Chinotto'
Spanish lime	<i>Melicoccus bijugatus</i> Jacq.
Star apple	<i>Chrysophyllum cainito</i> L.
String bean	<i>Phaseolus</i> sp.
String bean	<i>Phaseolus vulgaris</i> L.
Sugarberry	<i>Celtis laevigata</i> Willd.
Sugarcane	<i>Saccharum officinarum</i> L.
Surinam-cherry	<i>Eugenia uniflora</i> L.
Swamp laurel oak	<i>Quercus laurifolia</i> Michaux
Sweet lime	<i>Citrus limettioides</i> Tan 'Palestine'
Sweet lime	<i>Citrus limettioides</i> Tan
Sweet potato	<i>Ipomoea batatas</i> (L.) Lam.
Sweet-bay	<i>Magnolia virginiana</i> L.
Swingle citrumelo	<i>X Citroncirus</i> 'Swingle' (<i>Citrus x paradisi</i> X <i>Poncirus trifoliata</i>)
Sword bean	<i>Canavalia gladiata</i> (Jacq.) DC.
Tabog	<i>Swinglea glutinosa</i> (Blanco) Merr.
Tachibana mandarin	<i>Citrus tachibana</i> (Mak.) Tan
Tamarind	<i>Tamarindus indica</i> L.
Tamarindo	<i>Tamarindus indica</i> L.
Tangerine, mandarin	<i>Citrus reticulata</i>
Temple mandarin	<i>Citrus reticulata</i> hybrid 'Temple'
Tephrosia	<i>Tephrosia candida</i> DC.
Tobacco	<i>Nicotiana tabacum</i> L.
Toog	<i>Bischofia javanica</i> Blume

Table 1. Diaprepes Root Weevil Host List

Common Name	Scientific Name
Toothache tree	<i>Zanthoxylum americanum</i> P. Mill
Toothpick glycosmis	<i>Glycosmis pentaphylla</i> (Retz.) Correa
Triplaria	<i>Triplaris</i> sp.
Tropical kumquat	<i>Fortunella polyandra</i> (Ridl.) Tan
Tropical-almond	<i>Terminalia catappa</i> L.
Tube-flower	<i>Clerodendrum indicum</i> (L.) Kuntze
Turk's turban	<i>Clerodendrum indicum</i> (L.) Kuntze
Valencia sweet orange	<i>Citrus sinensis</i> 'Valencia'
Velvet bean	<i>Mucuna deeringiana</i> (Bort.) Merr.
Wampee	<i>Clausena lansium</i> (Lour.) Skeels
Wax plant	<i>Hoya carnosa</i> (L. f.) R.Br.
Wax-myrtle	<i>Myrica cerifera</i> L.
Weeping fig	<i>Ficus benjamina</i> L.
White elm	<i>Guazuma ulmifolia</i> Lam.
White sapote	<i>Casimiroa edulis</i> La Llave
Wild bean	<i>Vigna adenantha</i> (G.F.W. Meyer) Marechal, Mascherpa & Stanier
Wild cherry	<i>Prunus</i> sp.
Wild fig	<i>Ficus</i> sp.
Wild or common persimmon	<i>Diospyrus virginiana</i> L.
Wild persimmon	<i>Diospyros</i> sp.
Winged sumac	<i>Rhus copallina</i> L.
Woman's tongue	<i>Albizia lebbek</i> (L.) Benth.
Wood apple	<i>Limonia acidissima</i> L.
Woolly morning glory	<i>Argyreia nervosa</i> (Burm. f.) Bojer
Woolly white sapote	<i>Casimiroa tetrameria</i> Millsp.
Yam	<i>Dioscorea batatas</i> Decne.
Yaupon holly	<i>Ilex vomitoria</i> Ait.
Yellow mombin, ? lobo	<i>Spondias mombin</i> L.
Yellow yam	<i>Dioscorea x cayenensis</i> Lam.
Yuca, cassava, manioc, tapioca	<i>Manihot esculenta</i> Cranz
Zarza	<i>Mimosa ceratonia</i> L.
Zarzilla	<i>Schrankia leptocarpa</i> DC.