

***Fraxinus oxycarpa* 'Raywood': Raywood Ash¹**

Edward F. Gilman and Dennis G. Watson²

Introduction

This Ash is a fine-textured, deciduous tree which is capable of reaching more than 80 feet in height but will more commonly be 40 to 50 feet tall with a 25 foot spread in a landscape, opening into a full, rounded canopy with age. Young trees are somewhat upright or oval. The lustrous, dark green leaflets create a light shade beneath the tree, making it well-suited for use as a large lawn specimen or shade tree. The leaves turn various shades of red to purple before falling in autumn.

General Information

Scientific name: *Fraxinus oxycarpa*

Pronunciation: FRACK-sih-nus ock-sih-KAR-puh

Common name(s): Raywood Ash, Claret Ash

Family: *Oleaceae*

USDA hardiness zones: 5A through 8B (Fig. 2)

Origin: not native to North America

Invasive potential: little invasive potential




Figure 1. Middle-aged *Fraxinus oxycarpa* 'Raywood': Raywood Ash

Uses: specimen; shade; street without sidewalk; parking lot island 100-200 sq ft; parking lot island > 200 sq ft; tree lawn 4-6 feet wide; tree lawn > 6 ft wide; highway median

1. This document is ENH424, one of a series of the Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Original publication date November 1993. Revised December 2006. Visit the EDIS Web Site at <http://edis.ifas.ufl.edu>.

2. Edward F. Gilman, professor, Environmental Horticulture Department; Dennis G. Watson, associate professor, Agricultural Engineering Department, Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville FL 32611.

Availability: somewhat available, may have to go out of the region to find the tree




Figure 2. Range

Description

Height: 40 to 50 feet

Spread: 25 to 30 feet

Crown uniformity: symmetrical

Crown shape: upright/erect, oval

Crown density: moderate

Growth rate: fast

Texture: medium

Foliage

Leaf arrangement: opposite/subopposite (Fig. 3)

Leaf type: odd-pinnately compound

Leaf margin: serrate

Leaf shape: lanceolate, elliptic (oval)

Leaf venation: pinnate

Leaf type and persistence: deciduous

Leaf blade length: 2 to 4 inches

Leaf color: green

Fall color: red, purple

Fall characteristic: showy

Flower

Flower color: unknown

Flower characteristics: not showy

Fruit

Fruit shape: no fruit

Fruit length: no fruit

Fruit covering: no fruit

Fruit color: no fruit

Fruit characteristics: no fruit

Trunk and Branches

Trunk/bark/branches: branches don't droop; not showy; typically one trunk; thorns

Pruning requirement: needed for strong structure

Breakage: resistant

Current year twig color: brown, gray

Current year twig thickness: thick

Wood specific gravity: unknown

Culture

Light requirement: full sun

Soil tolerances: clay; sand; loam; acidic; slightly alkaline; occasionally wet; well-drained

Drought tolerance: high

Aerosol salt tolerance: unknown

Other

Roots: not a problem

Winter interest: no

Outstanding tree: yes

Ozone sensitivity: unknown

Verticillium wilt susceptibility: susceptible

Pest resistance: resistant to pests/diseases

Use and Management

Reportedly maintains a central leader in youth but only after competing upright stems and branches have been removed. Be sure to space main lateral branches along the trunk and keep internal secondary branches intact to develop good branch structure. This allows each main limb to develop more fully and could increase durability by increasing taper along

main branches. Do not allow major scaffold limbs to grow opposite each other on the trunk as this leads to poor structure and eventually could form a weak tree.

It should be grown in full sun and is moderately drought-tolerant once established. Although trees can tolerate wet sites, they will perform much better in well-drained conditions. Surface roots can be a problem on wet sites and on clay soil but they otherwise grow in a range of soil from sand to clay.

The cultivar `Raywood' has exceptionally striking red fall foliage and produces no seeds; it is often known as the `Claret Ash'. `Flame' turns deep burgundy in the fall similar to burgundy Sweetgum.

Pests and Diseases

No pests or diseases are of major concern, although possibly borers. This tree is reportedly resistant to anthracnose foliage disease and Ash lygusbug which attacks other Ashes.