

***Prunus sargentii* 'Columnaris': Columnar Sargent Cherry¹**

Edward F. Gilman and Dennis G. Watson²

Introduction

With attractive bark, good fall foliage color, and delicate pink blooms, Columnar Sargent Cherry is highly recommended for the home and urban landscape. Growing at a moderate rate into a 25 to 35-foot-high and 15 feet wide, upright to vase shaped tree, Sargent Cherry makes an ideal street tree casting moderate shade below. It is often grown with several multiple trunks or upright branches originating from the same position on the trunk ascending in a graceful fashion. This structure could be somewhat of a problem in ice-storms. Training to develop well-spaced branches along the trunk may help reduce this problem. The attractive cinnamon brown bark has a shiny, almost polished appearance with prominent lenticels arranged around the trunk. In late April or early May the one-inch-wide, pink to deep pink single blooms appear before the new red-tinged leaves unfold. The small, pea-sized fruits which follow are red, ripening to a dark purple in June and July. The fruits are considered inconspicuous due to their size and color but are easily found by birds who quickly devour them. The three to five-inch-long, shiny, dark green leaves take on various shades of orange, bronze, and red before dropping in late

September, often well before other trees which are still green.




Figure 1. Middle-aged *Prunus sargentii* 'Columnaris': Columnar Sargent Cherry

1. This document is ENH-674, one of a series of the Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Original publication date November 1993. Revised December 2006. Visit the EDIS Web Site at <http://edis.ifas.ufl.edu>.
2. Edward F. Gilman, professor, Environmental Horticulture Department; Dennis G. Watson, associate professor, Agricultural Engineering Department, Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville FL 32611.

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information and other services only to individuals and institutions that function with non-discrimination with respect to race, creed, color, religion, age, disability, sex, sexual orientation, marital status, national origin, political opinions or affiliations. U.S. Department of Agriculture, Cooperative Extension Service, University of Florida, IFAS, Florida A. & M. University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Larry Arrington, Dean

General Information

Scientific name: *Prunus sargentii*

Pronunciation: PROO-nus sar-JEN-tee-eye

Common name(s): Columnar Sargent Cherry

Family: *Rosaceae*

USDA hardiness zones: 4A through 8A (Fig. 2)

Origin: not native to North America

Invasive potential: little invasive potential

Uses: street without sidewalk; specimen; tree lawn
3-4 feet wide; tree lawn 4-6 feet wide; tree lawn > 6
ft wide; highway median; Bonsai

Availability: somewhat available, may have to go out
of the region to find the tree

Crown uniformity: symmetrical

Crown shape: columnar, upright/erect, vase

Crown density: dense

Growth rate: moderate

Texture: medium

Foliage

Leaf arrangement: alternate (Fig. 3)

Leaf type: simple

Leaf margin: serrate

Leaf shape: elliptic (oval), obovate

Leaf venation: pinnate, brachidodrome



Figure 2. Range

Description

Height: 25 to 35 feet

Spread: 15 to 20 feet

Leaf type and persistence: deciduous

Leaf blade length: 2 to 4 inches, 4 to 8 inches

Leaf color: green

Fall color: yellow, red, copper

Fall characteristic: showy

Flower

Flower color: pink

Flower characteristics: showy

Fruit

Fruit shape: oval

Fruit length: less than .5 inch

Fruit covering: fleshy

Fruit color: purple, black, red

Fruit characteristics: attracts birds; not showy;
fruit/leaves not a litter problem

Trunk and Branches

Trunk/bark/branches: branches don't droop;
showy; typically multi-trunked; thorns

Pruning requirement: needed for strong structure

Breakage: susceptible to breakage

Current year twig color: reddish, brown

Current year twig thickness: medium

Wood specific gravity: unknown

Culture

Light requirement: full sun

Soil tolerances: sand; loam; clay; acidic; slightly
alkaline; well-drained

Drought tolerance: high

Aerosol salt tolerance: moderate

Other

Roots: not a problem

Winter interest: no

Outstanding tree: yes

Ozone sensitivity: unknown

Verticillium wilt susceptibility: susceptible

Pest resistance: resistant to pests/diseases




Figure 3. Foliage

Use and Management

Sargent Cherry works well as a street tree (probably the best of the cherries for street planting) in areas which require a narrow crowned tree. It can be planted along the entry road to a subdivision or commercial landscape on 15 to 20-foot-centers or in the tree lawn space between the curb and sidewalk. It

is also very effective as a specimen in the lawn or landscape bed.

Sargent Cherry should be grown in full sun on very well-drained, acid soil. Although it grows moderately fast and can reach up to 60 feet tall in the wild, Sargent Cherry is relatively short-lived with a 20-year lifespan, but provides reliable service during this period. It requires little maintenance once established and is quite tolerant of drought and clay soil.

Propagation is by grafting or budding.

Pests and Diseases

It is bothered by tent caterpillars, aphids, borers, and scales.