

Magnolia kobus var. *stellata* ‘Rosea Jane Platt’: ‘Rosea Jane Platt’ Star Magnolia¹

Edward F. Gilman and Dennis G. Watson²

Introduction

Star Magnolia is the hardiest of the Magnolias. It is a small tree or large shrub, 15 to 20 feet tall with a 10 to 15-foot spread. Typically branching close to the ground, the multi-stemmed form develops with a dense head of foliage. Star Magnolia makes a wonderful patio, lawn specimen or accent tree. Lower foliage can be removed to show off the trunk and to create more of a tree-form. Otherwise, the persistent lower branches and oval to round form lend a “large bush” look to the plant. When planted against a dark background, the branching pattern and light gray trunk on an older tree will show off nicely, particularly when lit up at

night. The leafless winter silhouette looks great shadowed on a wall by a spotlight at night. The light pink flowers on this cultivar are produced in spring before the leaves appear, even on young plants. Flowers are usually not as sensitive to cold as Saucer Magnolia, but they can still be injured if cold weather arrives during flowering, as it occasionally will.

General Information

Scientific name: *Magnolia kobus* var. *stellata*

Pronunciation: mag-NO-lee-uh KOE-bus variety stell-AY-tuh

Common name(s): ‘Rosea Jane Platt’ Star Magnolia

Family: *Magnoliaceae*

USDA hardiness zones: 5A through 8B (Fig. 2)



Figure 1. Middle-aged *Magnolia kobus* var. *stellata* ‘Rosea Jane Platt’: ‘Rosea Jane Platt’ Star Magnolia
Credits: Ed Gilman



Figure 2. Range

1. This document is ENH-542, one of a series of the Environmental Horticulture, UF/IFAS Extension. Original publication date November 1993. Revised December 2006. Reviewed February 2014. Visit the EDIS website at <http://edis.ifas.ufl.edu>.
2. Edward F. Gilman, professor, Environmental Horticulture Department; Dennis G. Watson, former associate professor, Agricultural Engineering Department, UF/IFAS Extension, Gainesville, FL 32611.

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information and other services only to individuals and institutions that function with non-discrimination with respect to race, creed, color, religion, age, disability, sex, sexual orientation, marital status, national origin, political opinions or affiliations. For more information on obtaining other UF/IFAS Extension publications, contact your county’s UF/IFAS Extension office. U.S. Department of Agriculture, UF/IFAS Extension Service, University of Florida, IFAS, Florida A & M University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Nick T. Place, dean for UF/IFAS Extension.

Origin: not native to North America
Invasive potential: little invasive potential
Uses: deck or patio; specimen; container or planter
Availability: not native to North America

Description

Height: 15 to 20 feet
Spread: 10 to 15 feet
Crown uniformity: symmetrical
Crown shape: round
Crown density: moderate
Growth rate: slow
Texture: medium

Foliage

Leaf arrangement: alternate (Fig. 3)
Leaf type: simple
Leaf margin: entire
Leaf shape: oblong, obovate
Leaf venation: pinnate, brachidodrome
Leaf type and persistence: deciduous
Leaf blade length: 2 to 4 inches
Leaf color: green
Fall color: yellow, copper
Fall characteristic: not showy




Figure 3. Foliage

Flower

Flower color: pink
Flower characteristics: very showy



Figure 4. Flower

Fruit

Fruit shape: elongated, irregular

Fruit length: 1 to 3 inches
Fruit covering: dry or hard
Fruit color: brown
Fruit characteristics: does not attract wildlife; not showy; fruit/leaves not a litter problem

Trunk and Branches

Trunk/bark/branches: branches droop; not showy; typically multi-trunked; thorns
Pruning requirement: little required
Breakage: resistant
Current year twig color: brown
Current year twig thickness: thin, medium
Wood specific gravity: unknown

Culture

Light requirement: full sun, partial sun or partial shade
Soil tolerances: clay; sand; loam; acidic; slightly alkaline; well-drained
Drought tolerance: moderate
Aerosol salt tolerance: none

Other

Roots: not a problem
Winter interest: yes
Outstanding tree: yes
Ozone sensitivity: unknown
Verticillium wilt susceptibility: susceptible
Pest resistance: resistant to pests/diseases

Use and Management

Star Magnolia is intolerant of root competition or dryness, and plants grow slowly, perhaps one foot per year. Plant in the full sun in a rich, porous and slightly acid soil. It is hard to transplant successfully and in the north one report suggests moving it balled and burlapped when actively growing. I suspect this means after the tender growth has hardened off. In USDA hardiness zones 7 and 8, transplant in late winter while the plants are still dormant or plant from containers at any time.

There are a few other cultivars: 'Centennial' - some pink in petals; 'Keiskei' - flowers purplish on the outside; 'Rosea' (Pink Star Magnolia) - pale pink flowers; 'Rubra' (Red Star Magnolia) - purplish flowers, darker than 'Rosea'; 'Waterlily' - pink flower buds, white flowers, flowers larger with narrower petals. The "Little Girl Hybrids" have an upright habit and flower later than the species, thus avoiding frost injury in most years. They include 'Ann', 'Betty', 'Jane', 'Judy', 'Randy', 'Ricki' and 'Susan'.

Pests

Basically trouble-free although scales of various types may infest twigs and leaves. Magnolia scale is the most common scale and can be one half-inch-across. Overwintering scales can usually be controlled with horticultural oil.

Tulip-Poplar weevil (sassafras weevil) feeds as a leaf miner when young and chews holes in the leaves as an adult.

Diseases

No diseases are particularly troublesome. Magnolia may be subject to leaf spots, blights, scabs, and black mildews caused by a large number of fungi or by the bacterium *Pseudomonas syringae*. Leaf spots rarely require chemical controls. Rake up and dispose of infected leaves.

Canker diseases will kill branches. Cankers on branches can be pruned out. Keep trees healthy with regular fertilization and by watering in dry weather.

Verticillium wilt may cause death of a few branches or may kill the tree. Prune out dead branches and fertilize regularly.