

# Did I See a Panther?<sup>1</sup>

Diane J. Episcopio, Elizabeth F. Pienaar, and Martin B. Main<sup>2</sup>



Figure 1. Adult Florida panther with two kittens.  
Credits: Florida Fish and Wildlife Conservation Commission

## General Information

The Florida panther is a subspecies of puma. Pumas are also known as cougars and mountain lions. The Florida panther is listed as an endangered species under the Endangered Species Act. Scientists estimate that there are between 120 and 230 panthers in Florida. Today, the range of the Florida panther is restricted to Florida, with the highest concentration of panthers occurring in south Florida.

## Identifying a Florida Panther

Panthers can sometimes be confused with bobcats, dogs, and coyotes. Below are some photos to help you determine whether you have seen a panther.



Figure 2. Florida panther.  
Credits: Florida Fish and Wildlife Conservation Commission

## Body

Panthers are 3 to 4 times larger than bobcats. On average, an adult male panther weighs 130 pounds and an adult female panther weighs 80 pounds. Panthers stand about thigh-high to an adult human. Bobcats rarely exceed 35 pounds and will only be about knee high or less to a person. Adult panthers are tan (Figure 2). Panther cubs under one year old are similar in color to adults but have spots

1. This document is WEC145, one of a series of the Wildlife Ecology and Conservation Department, UF/IFAS Extension. Original publication date April 2001. Revised June 2008. Reviewed August 2014. Revised February 2018. Visit the EDIS website at <http://edis.ifas.ufl.edu>.
2. Diane J. Episcopio, [episcopiod1@ufl.edu](mailto:episcopiod1@ufl.edu), Masters student, Department of Wildlife Ecology and Conservation, UF/IFAS Extension; Elizabeth F. Pienaar, [efpienaar@ufl.edu](mailto:efpienaar@ufl.edu), assistant professor and Extension specialist – Human Dimensions of Wildlife, Department of Wildlife Ecology and Conservation, UF/IFAS Extension; and Martin B. Main, associate dean and Extension program leader, Natural Resources and Florida Sea Grant, UF/IFAS Extension, Gainesville, FL 32611.

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information and other services only to individuals and institutions that function with non-discrimination with respect to race, creed, color, religion, age, disability, sex, sexual orientation, marital status, national origin, political opinions or affiliations. For more information on obtaining other UF/IFAS Extension publications, contact your county's UF/IFAS Extension office. U.S. Department of Agriculture, UF/IFAS Extension Service, University of Florida, IFAS, Florida A & M University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Nick T. Place, dean for UF/IFAS Extension.



on their fur. In contrast, bobcats have a red tinge to their fur. Their bellies tend to be white, and they have a spotted pattern on their fur even when they're adults (Figure 3). A very distinct difference between panthers and bobcats is the shape of their tails. A panther's tail is as long as its body and nearly touches the ground. By contrast, a bobcat's tail is shorter than the length of its body and often curls upward at the end, exposing a white underside that panthers do not have.



Figure 3. Bobcat.  
Credits: Bill Wilmeth



Figure 4a. Coyote.  
Credits: Florida Fish and Wildlife Conservation Commission

While coyotes are a part of the canid (dog) family, they can still be confused with the Florida panther. They are more similar in size to bobcats, weighing between 20 to 35 pounds. Coyotes tend to have grey fur, with patches of tan or brown (Figure 4a and 4b). The coyote has a longer,

more slender face compared to the Florida panther, and a medium-length bushy tail.



Figure 4b. Coyote.  
Credits: Florida Fish and Wildlife Conservation Commission

## Ears

If you only catch a glimpse of the animal from behind, a good way to differentiate between a panther, a bobcat, and a coyote is by looking at the shape and color of the ears. The back of a panther ear is black (Figure 5), while bobcats have distinct white spots on the back of the ear (Figure 6). The fur on the back of a coyote ear closely matches the rest of its coat (Figure 7).



Figure 5. Panther ears.  
Credits: Florida Fish and Wildlife Conservation Commission





Figure 6. Bobcat ears.  
Credits: Florida Fish and Wildlife Conservation Commission



Figure 7. Coyote ears.  
Credits: Florida Fish and Wildlife Conservation Commission

## Tracks

One of the most reliable ways of identifying the presence of a panther is by looking at tracks left by the animal. The front paws of an adult panther leave tracks that generally measure 3 inches in length by 3 inches in width. The hind paws leave tracks that are slightly smaller. Both adult and juvenile panthers leave larger tracks than bobcats. A bobcat track is approximately half the size of a panther track.

Figure 8 shows some defining characteristics of a panther track. Panther toes create a teardrop-shaped imprint. The




Figure 8. Panther track.  
Credits: Florida Fish and Wildlife Conservation Commission

arrangement of the toes is asymmetrical around the pad. Panther tracks (Figure 9) are most commonly confused with the tracks of dogs and coyotes (Figures 10 and 11). Panthers have retractable claws while dogs and coyotes do not. As a result, dog and coyote tracks typically include the imprints of claws, whereas panther prints usually do not have claw marks. The presence of claw marks for panther prints depends on what surface the animal was crossing and whether the animal was running at the time.



Figure 9. Panther track.  
Credits: Florida Fish and Wildlife Conservation Commission





Figure 10. Dog track.

Credits: Florida Fish and Wildlife Conservation Commission



Figure 11. Coyote track.

Credits: Florida Fish and Wildlife Conservation Commission

The pads of dogs and coyotes tend to be triangular in shape, whereas panthers have a trapezoidal shaped pad. Another key feature of a panther's track are the 3 distinct lobes at the base of the pad.

## What to Do if You Have Seen a Panther

If you see a live panther, there is no need to contact either the Florida Fish and Wildlife Conservation Commission (FWC) or the US Fish and Wildlife Service. However, in the event that you identify a dead or injured panther, please contact the FWC at 1-888-404-3922.

Pictures of panthers or tracks can be submitted to the following website: <https://public.myfwc.com/hsc/panther-sightings/Default.aspx>

For more information about living with panthers see: <http://edis.ifas.ufl.edu/uw399>

## For Additional Information

Visit <http://myfwc.com/panther>